

3 Row Aluminum Bleachers - Baseline Series

Item No: 569-1302

Bleacher Length: 7'-6"


CS.1 — COVER SHEET

TD.1 — BLEACHER SEATING PLAN

BA 1 — BLEACHER ASSEMBLY


BA.1 — BLEACHER ASSEMBLY
PF.1 — PLANK & FRAMING PLAN

BLEACHER TOP VIEW



SCALE: N.T.S.	APPROVED BY:	,	,	DRAWN BY:	
DATE:		/	/		
Bleacher Seating Plan					
BLEACHER MODEL #:				DRAWING NUMBER:	TD.1

LOCATE FRAMES ON FOUNDATION




* MINIMUM FOUNDATION AREA SHOWN. DEPENDING ON LOCAL SOIL CONDITIONS, BLEACHER CAN BE INSTALLED ON A CONCRETE PAD OR FOOTERS, OR ATTACHED TO 2x6 TREATED LUMBER GROUND SILLS AND PLACED ON COMPACTED STONE, ASPHALT, OR ANY OTHER SMOOTH, SOLID, LEVEL SURFACE. CONSULT YOUR LOCAL CONCRETE CONTRACTOR TO DETERMINE PROPER CONCRETE SPECIFICATIONS FOR YOUR LOCAL SOIL AND WEATHER-RELATED CONDITIONS. THE BEARING SURFACE MUST BE CAPABLE OF SUPPORTING A MINIMUM OF 660 POUNDS PER LINEAR FOOT. TO MEET LOCAL CODES, BLEACHERS WILL NEED TO BE ANCHORED. ANCHORING SYSTEMS FOR ALL SURFACE TYPES ARE AVAILABLE - CONTACT YOUR BLEACHER SALES REPRESENTATIVE FOR MORE INFORMATION.

SCALE: N.T.S.	APPROVED BY:	DRAWN BY:		
DATE:	/ /			
Bleacher Foundation Plan				
BLEACHER MODEL #:		DRAWING NUMBER:	TD.1	


PRE-ASSEMBLE X-BRACE PAIR(S)

*NOT ALL BLEACHERS WILL RECEIVE GROUND SILLS. IF YOUR UNIT DOES NOT INCLUDE THIS FEATURE, SKIP THIS STEP. SCRLAG121116G (%" x 1½" LAG SCREW) 4X PER FRAME GSL260407 (2x6x4'-7" TREATED LUMBER SILL)


(OPTIONAL) ATTACH GROUND SILLS *





ONCE FRAMING IS COMPLETE, PRE-ASSEMBLE CLIP SETS ON BLEACHER FRAMES




SCALE:	N.T.S.	APPROVED BY:	DRAWN BY:	
DATE:		/_/		
Framing & Clip Set Preparation				
BLEACHE	R MODEL #:		DRAWING NUMBER:	TD.








d n			
	SCALE: N.T.S. DATE:	APPROVED BY:	DRAWN BY:
TITLE: Framing Assembly			
	BLEACHER MODEL #:		DRAWING NUMBER:



(OPTIONAL) ANCHOR BLEACHER TO CONCRETE FOUNDATION *



This drawing and all information contained herein is the property of The Park Catalog. and is not to be reproduced without express written permission of this manufacturer. We assume no responsibility for unauthorized use of this drawing. The Park Catalog is not responsible for local permits, local code compliance and occupancy requirements.


SCALE: N.T.S. APPROVED BY: DRAWN BY:


DATE: / / DRAWN BY:

TITLE: Concrete Anchoring Plan

BLEACHER MODEL #: DRAWING NUMBER: TD.1

* CONCRETE WEDGE ANCHORS NOT INCLUDED WITH ALL UNITS. IF USING OTHER ANCHORING SYSTEM, SKIP THIS STEP AND REFER TO INSTRUCTIONS SPECIFIC TO THE ANCHORING SYSTEM PURCHASED FOR YOUR UNIT. SEE PRINT FP.1 (INCLUDED IN THIS PACKET) FOR GENERAL CONCRETE FOUNDATION SPECIFICATIONS.





SCALE: N.T.S.	APPROVED BY:	DRAWN BY:		
DATE:	/ /			
™E: Bleacher Plank and Framing Plan				
BLEACHER MODEL #:		DRAWING NUMBER:		