


**Skyline Bench - Thermoplastic  
543-3004**



## Parts, Hardware and Suggested Tools

Unit Common Description	Units Per Model
6' Skyline Bench Seat	1
Skyline Frame	2
Connecting Pipe	1
3/8" x 1-1/2" Button Head Bolts	4
3/8" x 2" Button Head bolts	2
Allen wrench	1



## Product Specifications

Seat Material: 11 gauge Strap Metal.

Seat Coating:

- Advantage Coating - Our Advantage Coating is our proprietary coating unique only to us. This state-of-the-art coating will not chip, crack or peel. It doesn't have any drips or runs, and it's the most durable coating on the market. The Advantage coating comes with a 7 year Warranty and is available in 13 Different Colors.
- Industry Standard Coating - the Industry Standard line is coated with a Premium Polyethylene Coating. The Industry Standard coating comes with a 5 year warranty and is available in 9 different colors.
- Powder Coat Finish - Premium High Quality Powder Coat Finish Electrostatically Applied with 13 Different Colors to choose from.


Frames: 2" x 3/8" Formed Steel

Frame Coating: High Durability Architectural Grade electrostatic applied Powder Coat.

Hardware: Stainless Steel

Dimension: 46" Pedestal Picnic Table Top - 46" W x 46" L, Seats - 10" W x 38" L, Overall Dimension: 81.6" W x 81.6" L x 30" H

**Product Specifications - Continued**



## Assembly Instructions

The Park Catalog does not offer installation. We recommend a professional Installer to install this table.

1. Bolt frames to both sides of the bottom portion of the seat with the 3/8" x 1-1/2" Bolts. Hand tighten at this time
2. Line up bolt holes of the top portion of the bench with the bolt hole at the top of the frame, bolt together with the 3/8" x 1-1/2" Bolts. Hand tighten at this time
3. Insert the Connecting pipe behind the bench seat at the bottom of the seat and align with bolt holes on frame. bolt together with the 3/8" x 2" bolts and tighten.
4. Go back and tighten the other 4 bolts.

## Assembly & Product Information

### Installation Safety:

Please Follow Installation Instructions provided by Manufacturer  
It is recommended that Product is installed by an experienced installer

Product should be inspected at the time of Delivery, do not install any damaged or defective parts/products.

All Hardware for proper assembly (not installation) is provided. Use hardware that is included with this product.

### Product Maintenance:

Maintenance inspections should be performed at a minimum of once a year.

Cleaning, when necessary can be performed with warm water and most house hold cleaners, avoid any harsh chemicals such as paint remover and acetone. Contact Manufacture before cleaning to determine if cleaning product is OK for use.

Any surface rust that may occur should be removed and repainted. Contact Manufacture for touch up paint or any other recommended paints.

Contact Manufacture for instructions on removing vandalism such as spray paint.

In the case that the coating is damaged, contact Manufacture for instructions for repair.

Bolts and nuts should be checked on a regular basis to maintain proper tightness.